

LIST OF CURRENT CLAIMS

1. (Currently Amended) A drawer-type computer casing, comprising:

a box, having an opening on one side, a connecting section disposed respectively on both corresponding sides of said opening, and an accommodating space in the box;

a sliding frame, being accommodated in said accommodating space, with an end surface being exposed from said opening, and

said end surface having a pulling handle disposed thereon and a latching member movably coupled to ~~on~~ the edge of the end surface proximate the connecting section, such that ~~when~~ upon said sliding frame being installed into said accommodating space, said latching member ~~being~~ is set precisely on the corresponding position of said connecting section, and ~~extending~~ extends into said connecting section after said latching member ~~being~~ is pushed;

wherein said latching member comprises a horizontal section attached onto said end surface and having a protruded pillar on both sides of said connecting section;

a vertical section disposed at one end of said connecting section away from said horizontal section and perpendicular to said horizontal section; and

a sliding track disposed on the positions where said end surface and said protruded pillar are in contact for allowing said protruded pillar to slide thereon and restricting the moving distance of said protruded pillar.

2. (Cancelled)

3. (Currently Amended) The drawer-type computer casing of claim ~~[[2]]~~ 1, wherein said connecting section comprises an accommodating space on one side and an

opening on the other side, and a hole disposed at a corresponding position on said horizontal section for letting said horizontal section ~~to~~ pass through.

4. (Currently Amended) The drawer-type computer casing of claim ~~[[2]]~~ 1, wherein said end surface comprises a groove at the position corresponding to said latching member for accommodating said horizontal section, such that said horizontal section and said end surface are at the same height, and said sliding track is disposed on both inner sides of said groove adjacent to said vertical section, and a bumper with a width substantially equal to said sliding track is disposed on both sides of said groove adjacent to said vertical section, so that said horizontal section is prevented from being pushed by said vertical section by accident.

5. (Currently Amended) The drawer-type computer casing of claim 4 further comprising a blocking panel disposed on both sides of said groove adjacent to said vertical section, such that after said latching member ~~being~~ is installed into said groove, said latching member ~~being~~ is limited by said blocking panel.

6. (Currently Amended) The drawer-type computer casing of claim 4, wherein said horizontal section comprises a rectangular hole, ~~each~~ disposed on said horizontal section proximate to said protruded pillars.

7. (Currently Amended) The drawer-type computer casing of claim 1, wherein said ~~movably~~ sliding frame comprises a track bar on both sides of said end surface of said sliding frame, and a track with a shape and a size corresponding to said track bar ~~being~~ is disposed on both sides of said opening in said box.

8. (Currently Amended) The drawer-type computer casing of claim ~~[[2]]~~ 1, wherein said sliding track comprises a corresponding fixed groove disposed on both ends therein.